



UNITED STATES MARINE CORPS  
MARINE CORPS INSTALLATIONS EAST-MARINE CORPS BASE  
PSC BOX 20005  
CAMP LEJEUNE NC 28542-0005

MCIEAST-MCB CAMLEJO 3440.1A  
G-3/5  
14 OCT 2014

MARINE CORPS INSTALLATIONS EAST-MARINE CORPS BASE CAMP LEJEUNE ORDER 3440.1A

From: Commanding General  
To: Distribution List

Subj: DESTRUCTIVE WEATHER OPERATIONS

Ref: (a) OPNAVINST 3140.24F  
(b) Joint Publication 3-28, "Defense Support of Civil Authorities,"  
July 31, 2013  
(c) DOD Directive 3025.18, "Defense Support of Civil Authorities  
(DSCA)," September 21, 2012  
(d) MCO 3440.7B  
(e) MCIEAST-MCB CAMLEJO 3040.1A  
(f) MARADMIN 563/11 of 28 Sep 11  
(g) MCO 3504.2A  
(h) MCO 3040.4

Encl: (1) Installation Situation Report Format  
(2) Commander's Critical Information Requirements (CCIR)  
(3) Reports Required

1. Situation

a. This Order provides guidance, information, and procedures for use in the event of a destructive weather event resulting in the activation of a component installation's Emergency Operations Center (EOC). For clarification purposes, the term destructive weather is an umbrella term that encompasses specific weather events such as severe thunderstorms, destructive wind events, flooding, tropical cyclones, tornadoes, and winter storms.

b. Guidance, information, and procedures regarding Continuity of Operations will be published under a separate order.

2. Cancellation. MCIEAST-MCB CAMLEJO 3440.1.

3. Mission. Marine Corps Installations East-Marine Corps Base, Camp Lejeune (MCIEAST-MCB CAMLEJ) publishes parameters to organize and facilitate preparation, mitigation, response, recovery, coordinated regional response, and reporting in connection with destructive weather events across all MCIEAST-MCB CAMLEJ interests in order to save lives, prevent suffering, and mitigate property loss and disruptions to mission accomplishment.

4. Execution

a. Commander's Intent and Concept of Operations

(1) Commander's Intent

(a) MCIEAST-MCB CAMLEJ and its subordinate installations must be prepared to address both local and regional destructive weather events. I

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

14 OCT 2014

see emergency response and the initial phases of emergency management (EM) as an installation level fight most effectively addressed by the local commander in close coordination with their local, state, and municipal partners.

(b) I want to make clear the guidelines covered in paragraph 4a(2) below are established to ensure a common operating picture across all MCIEAST-MCB CAMLEJ installations, not to establish trip lines for actions on an individual installation. Any and all decisions to move and/or evacuate aircraft in response to a destructive weather event are at the sole discretion of the affected commander.

(c) It is my intent to support local installation level EM efforts by ensuring that a clear, concise, and accurate assessment of conditions is developed, maintained, and communicated throughout MCIEAST-MCB CAMLEJ. This assessment will be used by MCIEAST-MCB CAMLEJ to mitigate the impact of the storm and its resultant damage on our operational tenant organizations and provide the individual installations with resources and coordination needed to ensure rapid recovery.

## (2) Concept of Operations

(a) The MCIEAST-MCB CAMLEJ G-3/5 shall provide the Commanding General (CG) with situational awareness of emergency conditions at each installation, including casualties, damage to facilities, interruption of essential services, and degradation of the installation's ability to host tenant commands. This awareness is created and maintained through interaction between the affected installation's S-3/EOC and the MCIEAST-MCB CAMLEJ G-3/5 and MCIEAST-MCB CAMLEJ EOC using, as a primary means, the WebEOC application. When a component installation is faced with a weather emergency that requires the activation of the EOC, it will notify the MCIEAST-MCB CAMLEJ G-3/5. If deemed appropriate, the MCIEAST-MCB CAMLEJ G-3/5 will activate the MCIEAST-MCB CAMLEJ EOC in support of the affected installation. To ensure installations have the autonomy necessary to quickly and appropriately handle local storms, guidance in paragraph 4a(2)(b) is provided below. To ensure a coordinated and uniform approach to the management of a regional threat is achieved, such as a hurricane, the guidance in paragraphs 4a(2)(c) and 4a(2)(e) is provided.

(b) Non-tropical storms, such as destructive wind events (tornadoes/funnel clouds) and winter storms, generally affect a localized area and are of short duration with life spans measured in hours or occasionally minutes as opposed to days. Usually, local non-tropical storm systems do not exceed the management capabilities of daily operations, the normal installation level chain of command, emergency services, maintenance organizations, and procedures. Therefore, criteria, definitions, terms, and procedures associated with non-tropical conditions of readiness may be established locally by the Installation Commander.

(c) Due to the severe nature and duration of Tropical Cyclones (TC) (depressions/storms/hurricanes) and in accordance with reference (a), the below listed Tropical Cyclone Conditions (TCCs) are established for use by all MCIEAST-MCB CAMLEJ Installations for the purpose of describing the proximity of a dangerous TC system. For the purpose of this Order, an Installation is considered to be in the forecasted affected area if it is within the cone of uncertainty of a storm featuring sustained winds of 50

knots (58 miles per hour (mph)) or greater as reported by the HURREVAC storm tracking system.

(d) The 50 knot (58 mph) threshold is included in National Hurricane Center (NHC) advisory products and in HURREVAC for two main reasons. First, it has significance for mariners as storm conditions begin at 48 knots (55 mph) with gale conditions covering 34 knots - 47 knots (39-54 mph). The NHC rounds this value up to 50 knots (58 mph) in its wind radii estimates as seen in HURREVAC. Second, damaging winds typically begin around 50 knots, which is the criteria for National Weather Service severe thunderstorm warnings. Therefore, 50 knots (58 mph) is a reasonable threshold at which wind damage to trees and power lines begin.

(e) Installation Commanders retain full authority/responsibility to execute appropriate action sets/tasks during the below TCCs:

1. TCC V. The potential for the occurrence of destructive weather is elevated, but no specific system threatens the area. TCC V indicates a seasonal destructive weather readiness level, (i.e. Atlantic Hurricane Season from 1 June to 30 November) is in progress or that a specific storm occurring outside of the Atlantic Hurricane Season is forecast to affect the area within 96 hours.

2. TCC IV. A specific destructive weather system with sustained winds of 50 knots (58 mph) or greater is forecast to affect the area within 72 hours.

3. TCC III. A specific destructive weather system with sustained winds of 50 knots (58 mph) or greater is forecast to affect the area within 48 hours. (As required, installations initiate a partial activation of their EOC.)

4. TCC II. A specific destructive weather system with sustained winds of 50 knots (58 mph) or greater is forecast to affect the area within 24 hours. (Installations initiate a full activation of their EOC.)

5. TCC I. A specific destructive weather system with sustained winds of 50 knots (58 mph) or greater is forecast to affect the area within 12 hours.

6. TCC I Caution (TCC IC). A specific destructive weather system with sustained winds of 50 knots (58 mph) or greater is forecast to affect the area within six hours.

7. TCC I Emergency (TCC IE). The area is currently experiencing a specific destructive weather system with sustained winds of 50 knots (58 mph) or greater.

8. TCC I Recovery (TCC IR). The destructive weather system has passed the area, but safety and storm hazards remain. (All orders, restrictions, and guidance established in previous TCCs remain in effect. The EM structure is supporting the speedy return to normal operations by eliminating safety concerns, re-establishing services, utilities, and the transportation system, clearing debris, and performing essential repairs.)

14 OCT 2014

9. All Clear. The restrictions established in previous TCCs have been canceled; return to TCC V during the Atlantic Hurricane Season.

(f) Installation Support to Civilian Authorities

1. Reference (b) governs Defense Support of Civil Authorities (DSCA) for the Armed Forces of the United States. Reference (c) establishes policy and assigns responsibilities for DSCA. Reference (d) establishes Marine Corps policy and assigns responsibilities for the fulfillment of the Marine Corps' roles and responsibilities in DSCA.

2. References (b) through (d) provide policy, planning guidance, and assignment of responsibilities in response to requests for assistance from civil authorities during presidentially declared or undeclared disasters and domestic emergencies. The normal method of obtaining Department of Defense (DoD) assistance is for the local civil authority to forward a Request for Assistance (RFA) through State emergency management officials. If the State has exhausted all applicable response capabilities, the State Coordinating Officer will submit the RFA to the Federal Coordinating Officer (FCO). The FCO will coordinate and task the overall Federal response, to include DoD resources, through the Defense Coordinating Officer.

3. Prior to a presidential declaration of disaster, civil authorities located near a Marine Corps Base, Station, or unit may request immediate assistance in response to imminently serious conditions caused by a domestic emergency. Installation Commanders are authorized to render assistance to save lives, prevent human suffering, or mitigate great property damage when conditions and time do not permit approval from higher headquarters. Installation Commanders acting under the Immediate Response Authority should report actions taken by the most expeditious means available and seek approval for continuing assistance.

b. Subordinate Element Missions

(1) Assistant Chief of Staff (AC/S), G-3/5 shall:

(a) Provide policy, guidance, and direction to installations on destructive weather mitigation, preparation, response, and recovery matters.

(b) Plan, conduct, and evaluate an Annual Regional Communications Exercise between February and April.

(c) Monitor destructive weather events (i.e. thunderstorms, wind conditions, flooding, tropical cyclones, tornadoes, and winter storms) that may or have resulted in the activation of a component installation's EOC.

(d) Implement, as required, the partial or full activation of the MCIEAST-MCB CAMLEJ EOC.

1. When TCC III is set at any component installation, staff the MCIEAST-MCB CAMLEJ EOC with a minimum of one Watch Officer during working hours; forward the Watch Officer e-mail address and telephone number during non-working hours to the MCIEAST-MCB CAMLEJ Command Duty Officer (CDO) at (910) 451-2414/3031.

14 OCT 2014

2. When TCC II is set at any component installation, staff the MCIEAST-MCB CAMLEJ EOC, as appropriate, for 24-hour operations until all installations have secured from TCC IR.

3. Ensure all MCIEAST-MCB CAMLEJ installations are in compliance with references (b), (e), and this Order.

(2) Installation Commanders shall:

(a) Publish an Installation Destructive Weather Order or Standing Operating Procedure (SOP) that incorporates the TCCs established in this Order.

(b) Annually review the Installation Destructive Weather Order or SOP prior to 1 June; update the information as appropriate, and provide the updated document to the AC/S, G-3/5.

(c) Ensure installation personnel who are assigned emergency management duties that interface with non-DoD Federal agencies, state government officials, and civilian emergency response/management activities are familiar with both the National Incident Management System (NIMS) and the Incident Command System.

(d) Ensure all appropriate personnel, military and civilian, with a reasonable likelihood of involvement in domestic incident management or response successfully complete required NIMS and National Response Framework training requirements/courses in accordance with reference (f). Appropriate personnel include, but are not limited to, installation and regional commands, public safety, EM, base operations, civilian fire and emergency services, installation Provost Marshals, other security and law enforcement services, and emergency medical services.

(e) Ensure the installation's EOC is manned with trained personnel, equipped, and properly utilizes the MCIEAST-MCB CAMLEJ WebEOC event during EOC activations connected to TC activity.

(f) Conduct an annual destructive weather exercise; submit an exercise After Action Report (AAR) to the AC/S, G-3/5 within 30 days of exercise completion.

(g) Participate in the Annual Regional Communications Exercise.

(h) Notify the AC/S, G-3/5 of any destructive weather events that may require the activation of the installation's EOC.

(i) Activate the installation's EOC as conditions warrant.

(j) Notify the AC/S, G-3/5 when the installation activates its EOC or changes Destructive Weather Conditions (via the MCIEAST-MCB CAMLEJ CDO during non-working hours).

(k) Pre-coordinate expected or intended changes in TCC with the AC/S, G-3/5 beforehand. This pre-coordination is not intended for MCIEAST to approve or disapprove the Installation Commander's decision, but rather to allow MCIEAST to provide Marine Corps Installations Command, II Marine

14 OCT 2014

Expeditionary Force, and Marine Forces Command a better understanding of the Region's preparations, and to provide MCIEAST's interpretation of the forecast and the storm's expected impact at the various component installations.

(l) When the installation's EOC is activated, submit an Installation Situation Report—enclosure (1)—via WebEOC four times daily, every six hours after the first Situation Report is submitted.

(m) Report serious operational events and incidents in accordance with references (e) and (g).

(n) Report casualties in accordance with references (e) and (h).

(o) Immediately report the occurrence of Commander's Critical Information Requirements—enclosure (2)—via WebEOC and telephone.

(p) Notify the AC/S, G-3/5 immediately when Marine Corps resources are requested or employed in support of civil authorities.

(q) Submit an AAR for each activation of the installation's EOC for a TC within 30 days of deactivation of the installation's EOC for that event.

(r) Submit a report of unfunded TC response requirements to the AC/S, G-3/5 within 30 days of the deactivation of the installation's EOC for that event.

c. Coordinating Instructions. The WebEOC application will be the primary means of communication between the MCIEAST-MCB CAMLEJ EOC and affected installation EOCs during TC Operations. Use of the telephone service and Wide/Local Area Network during Destructive Weather operations should be restricted to matters pertaining to Destructive Weather or essential operations only. Communications priorities are established in order of importance:

(1) WebEOC

(2) Telephone System

(3) Wide/Base/Local Area Network

(4) Marine Telecommunications Center

(5) Secure Telephone and Secret Internet Protocol Router when appropriate.

##### 5. Administration and Logistics

a. Reports required by this Order are listed in enclosure (3).


b. Recommendations for changes to this Order should be submitted to the CG MCIEAST-MCB CAMLEJ (Attn: G-3/5, Operations, Training, and Plans Division).

14 OCT 2014

6. Command and Signal

a. Command. This Order is applicable to all MCIEAST-MCB CAMLEJ subordinate commands and installations.

b. Signal. This Order is effective the date signed.



J. W. CLARK, JR.  
Deputy Commander

DISTRIBUTION: A/B/C

Copy to: AC/S, G-3/5 (3)  
CDO

14 OCT 2014

Installation Situation Report Format

MSGID/GENADMIN/CG MCIEAST-MCB CAMLEJ G3/5/00X//

SUBJ/MARINE CORPS INSTALLATIONS EAST SITUATION REPORT #00X FOR HURRICANE  
XXXXX//

REF/A/DOC/MCIEAST-MCB CAMLEJO 3440.1A//

NARR/REF A IS DESTRUCTIVE WEATHER OPERATIONS//

POC/NAME/RANK OR GRADE/BILLET/INSTALLATION/DSN: XXX/TEL: COML(XXX) XXX-  
XXXX/EMAIL: XXXX.XXXXX@USMC.MIL//

POC/NAME/RANK OR GRADE/BILLET/INSTALLATION/DSN: XXX/TEL:COML(XXX) XXX-  
XXXX/EMAIL: XXXX.XXXXX@USMC.MIL //

GENTEXT/REMARKS/1. THIS SITREP IS CURRENT AS OF TIME/DATE. THE MARINE CORPS  
INSTALLATIONS EAST-MARINE CORPS BASE CAMP LEJEUNE EMERGENCY OPERATIONS CENTER  
(EOC) IS FULLY OPERATIONAL. STATUS OF AFFECTED MCIEAST-MCB CAMLEJ  
INSTALLATIONS:

1. MARINE CORPS LOGISTICS BASE ALBANY

1.A. CURRENT TCC:

1.B. INFRASTRUCTURE DAMAGE ASSESSMENT:

1.B.1. BUILDINGS:

1.B.2. ROADWAYS:

1.B.3. ELECTRICAL DISTRIBUTION:

1.B.4. COMMUNICATIONS:

1.B.5. WATER SUPPLY:

1.B.6. WATER TREATMENT:

1.B.7. STEAM:

1.C. OPERATIONAL SUPPORT AIRCRAFT:

1.C.1. CURRENT LOCATION: N/A

1.D. SHELTER STATUS: (READ IN FOUR COLUMNS)

	SHELTER	STATUS	CAPACITY	OCCUPANTS
1.D.1.	SHELTER NAME	OPEN	XXX	XXX
1.D.2.	SHELTER NAME	CLOSED	XXX	XXX

1.E. CASUALTIES:

1.E.1. DEATHS:

1.E.2. INJURIES:

1.E.3. TYPE/CAUSE/PROGNOSIS:

2. MARINE CORPS AIR STATION (MCAS) BEAUFORT

2.A. CURRENT TCC:

2.B. INFRASTRUCTURE DAMAGE ASSESSMENT:

2.B.1. BUILDINGS:

2.B.2. ROADWAYS:

2.B.3. ELECTRICAL DISTRIBUTION:

2.B.4. COMMUNICATIONS:

2.B.5. WATER SUPPLY:

2.B.6. WATER TREATMENT:

2.B.7. STEAM:

2.C. OPERATIONAL SUPPORT AIRCRAFT: DEPARTURE TIME/NUMBER/TYPE

2.C.1. CURRENT LOCATION:

2.D. SHELTER STATUS: (READ IN FOUR COLUMNS)

	SHELTER	STATUS	CAPACITY	OCCUPANTS
--	---------	--------	----------	-----------

14 OCT 2014

- 2.D.1. SHELTER NAME OPEN XXX XXX
- 2.D.2. SHELTER NAME CLOSED XXX XXX
- 2.E. CASUALTIES:
- 2.E.1. DEATHS:
- 2.E.2. INJURIES:
- 2.E.3. TYPE/CAUSE/PROGNOSIS:
- 3. MARINE CORPS SUPPORT FACILITY BLOUNT ISLAND COMMAND (BIC)
- 3.A. CURRENT TCC:
- 3.B. INFRASTRUCTURE DAMAGE ASSESSMENT:
- 3.B.1. BUILDINGS:
- 3.B.2. ROADWAYS:
- 3.B.3. ELECTRICAL DISTRIBUTION:
- 3.B.4. COMMUNICATIONS:
- 3.B.5. WATER SUPPLY:
- 3.B.6. WATER TREATMENT:
- 3.B.7. STEAM:
- 3.C. OPERATIONAL SUPPORT AIRCRAFT: N/A
- 3.C.1. CURRENT LOCATION: N/A
- 3.D. SHELTER STATUS: (READ IN FOUR COLUMNS)
- SHELTER STATUS CAPACITY OCCUPANTS
- 3.D.1. SHELTER NAME OPEN XXX XXX
- 3.D.2. SHELTER NAME CLOSED XXX XXX
- 3.E. CASUALTIES:
- 3.E.1. DEATHS:
- 3.E.2. INJURIES:
- 3.E.3. TYPE/CAUSE/PROGNOSIS:
- 4. MARINE CORPS BASE (MCB) CAMP LEJEUNE
- 4.A. CURRENT TCC:
- 4.B. INFRASTRUCTURE DAMAGE ASSESSMENT:
- 4.B.1. BUILDINGS:
- 4.B.2. ROADWAYS:
- 4.B.3. ELECTRICAL DISTRIBUTION:
- 4.B.4. COMMUNICATIONS:
- 4.B.5. WATER SUPPLY:
- 4.B.6. WATER TREATMENT:
- 4.B.7. STEAM:
- 4.C. OPERATIONAL SUPPORT AIRCRAFT: N/A
- 4.C.1. CURRENT LOCATION: N/A
- 4.D. SHELTER STATUS: (READ IN FOUR COLUMNS)
- SHELTER STATUS CAPACITY OCCUPANTS
- 4.D.1. SHELTER NAME OPEN XXX XXX
- 4.D.2. SHELTER NAME CLOSED XXX XXX
- 4.E. CASUALTIES:
- 4.E.1. DEATHS:
- 4.E.2. INJURIES:
- 4.E.3. TYPE/CAUSE/PROGNOSIS:
- 5. MCAS CHERRY POINT
- 5.A. CURRENT TCC:

14 OCT 2014

5.B. INFRASTRUCTURE DAMAGE ASSESSMENT:

5.B.1. BUILDINGS:

5.B.2. ROADWAYS:

5.B.3. ELECTRICAL DISTRIBUTION:

5.B.4. COMMUNICATIONS:

5.B.5. WATER SUPPLY:

5.B.6. WATER TREATMENT:

5.B.7. STEAM:

5.C. OPERATIONAL SUPPORT AIRCRAFT: DEPARTURE TIME/NUMBER/TYPE

5.C.1. CURRENT LOCATION:

5.D. SHELTER STATUS: (READ IN FOUR COLUMNS)

SHELTER	STATUS	CAPACITY	OCCUPANTS
5.D.1. SHELTER NAME	OPEN	XXX	XXX
5.D.2. SHELTER NAME	CLOSED	XXX	XXX

5.E. CASUALTIES:

5.E.1. DEATHS:

5.E.2. INJURIES:

5.E.3. TYPE/CAUSE/PROGNOSIS:

6. MCAS NEW RIVER

6.A. CURRENT TCC:

6.B. INFRASTRUCTURE DAMAGE ASSESSMENT:

6.B.1. BUILDINGS:

6.B.2. ROADWAYS:

6.B.3. ELECTRICAL DISTRIBUTION:

6.B.4. COMMUNICATIONS:

6.B.5. WATER SUPPLY:

6.B.6. WATER TREATMENT:

6.B.7. STEAM:

6.C. OPERATIONAL SUPPORT AIRCRAFT: DEPARTURE TIME/NUMBER/TYPE

6.C.1. CURRENT LOCATION:

6.D. SHELTER STATUS: (READ IN FOUR COLUMNS)

SHELTER	STATUS	CAPACITY	OCCUPANTS
6.D.1. SHELTER NAME	OPEN	XXX	XXX
6.D.2. SHELTER NAME	CLOSED	XXX	XXX

6.E. CASUALTIES:

6.E.1. DEATHS:

6.E.2. INJURIES:

6.E.3. TYPE/CAUSE/PROGNOSIS:

7. REMARKS/DISCUSSIONS: AS APPROPRIATE TO PASS COMMANDING OFFICER'S COMMENTS OR IDENTIFY ADDITIONAL ISSUES OR CONCERNS.//

BT

14 OCT 2014

Commander's Critical Information Requirements (CCIR)

-CCIR is information that must be brought to the CG's attention immediately. (Information that you would wake the CG to tell him.)

-The first contact should be with the Deputy Commander who will verify the CCIR and direct further action. (Call the CG, recall staff members, and execute OPREP-3/Serious Incident Reporting procedures.)

-CCIR are listed below as: Priority Intelligence Requirements, Friendly Force Information Requirements, and Essential Elements of Friendly Information. Consider these CCIR common to MCIEAST-MCB CAMLEJ and MCICOM.

PRIORITY INTELLIGENCE REQUIREMENTS (PIR)**PIR-1: HOSTILE ACT OR PHYSICAL THREAT**

-Examples: Report Terrorist Attack, Surveillance, Assassination, Physical Infiltration, and Significant Political/Criminal Subversion.

**PIR-2: HOSTILE INFORMATION THREAT**

-Examples: Report Suspicious/Hostile Computer Network Activity that isolates MCIEAST-MCB CAMLEJ Installations or Tenants, Impedes Mission Performance, or affects/places at risk Installation systems or Classified data.

**PIR-3: ENVIRONMENTAL THREAT**

-Examples: Report Environmental Conditions such as Destructive Weather or Epidemics that will have a significant and degrading impact upon Installations and Tenant Commands activities within the next 72 hours.

FRIENDLY FORCE INFORMATION REQUIREMENTS (FFIR)**FFIR-1: FATALITY OR HOSPITALIZATION OF KEY INSTALLATION PERSONNEL**

-Examples: Report the injury or death of Commanding Officer or Executive Officer, Principal Staff, or Commander of a tenant organization (Mission Impact and/or Media Interest).

**FFIR-2: MILITARY SUPPORT TO CIVIL AUTHORITIES**

-Examples: Report requests for Military Support to Civil Authorities by any Installation Directorate or Command.

**FFIR-3: CHANGE IN SECURITY/READINESS/PROTECTIVE POSTURE**

-Examples: Report changes in Installation Force Protection Condition, Tropical Cyclone Condition, and Information Control Condition, or in the Local/Regional/National Homeland Security Alert Levels.

**FFIR-4: INSTALLATION READINESS DEGRADATION**

-Report when the Commanders' overall Mission Assessment or any Command Task is degraded in assessment to NO (Not Mission Capable) within Defense Readiness Reporting System (This will be a staff action during regular working hours).

**FFIR-5: HIGH INTEREST REPORTS**

-Examples: Report any Mishap, Incident, or Allegation of Criminal Activity with significant impact on Security, Safety, Sustainability, Damage to property, or great potential for public/media interest.

**FFIR-6: OFF BASE INFLUENCE**

-Examples: Report any threat, activity, or event (Terrorist attack, Natural Disaster, or widespread power outage) from the immediate community or an adjacent Military Installation that will have a direct impact on any MCIEAST-MCB CAMLEJ Bases/Stations Mission, Critical Infrastructure, or Manpower.

**ESSENTIAL ELEMENTS OF FRIENDLY INFORMATION (EEFI)**

**EEFI-1: CRITICAL INFRASTRUCTURE**

-Examples: Report Degradations or Threats to capabilities (Ports, Airports, Railroads, or Bridges) that provide critical support to Operating Forces.

**EEFI-2: COMMUNICATIONS SYSTEMS**

-Examples: Report exploitation of or attacks against the design, configuration, and access policies and procedures for voice and Digital Communications Systems.

**EEFI-3: LOGISTICS INFORMATION**

-Examples: Report exploitation of or attacks against the schedule, quantities, and customer information for Logistics Functions.

**EEFI-4: FORCE DEPLOYMENT PLANNING AND EXECUTION**

-Examples: Report exploitation of or attacks against the detailed training and deployment schedules for Installation Commands or Tenant and Visiting Units that are training in preparation to deploy.

Reports Required

<u>REPORT TITLE</u>	<u>REPORT</u> <u>CONTROL SYMBOL</u>	<u>PARAGRAPH</u>
I. Defense Support of Civil Authorities	EXEMPT; Marine Corps Assistance to Civil Authority	4a(2)(f)3
II. Destructive Weather After Action Report	MCIEAST-MCB CAMLEJ-3440.6-02	4b(2)(f)
III. Installation Situation Report	MCIEAST-MCB CAMLEJ-3000.10-04	4b(2)(l)
IV. Serious Incident Report	EXEMPT; Event/Incident (OPREP-3)	4b(2)(m)
V. Casualty Report	DD-3040-2; Personnel Casualty Report (PCR)	4b(2)(n)
VI. Commander's Critical Information Requirements	MCIEAST-MCB CAMLEJ-3440.1-06	4b(2)(o)
VII. Unfunded Tropical Cyclone Response	MCIEAST-MCB CAMLEJ-3000.10-02	4b(2)(r)