



UNITED STATES MARINE CORPS  
MARINE CORPS INSTALLATIONS EAST-MARINE CORPS BASE  
PSC BOX 20005  
CAMP LEJEUNE NC 28542-0005

MCIEAST-MCB CAMLEJO 3440.1D  
G-3/5

JUL 17 2019

MARINE CORPS INSTALLATIONS EAST-MARINE CORPS BASE CAMP LEJEUNE ORDER  
3440.1D

From: Commanding General  
To: Distribution List

Subj: REGIONAL DESTRUCTIVE WEATHER OPERATIONS

Ref: (a) OPNAVINST 3140.24F  
(b) Joint Publication 3-28, "Defense Support of Civil Authorities,"  
July 31, 2013  
(c) DOD Directive 3025.18, "Defense Support of Civil Authorities  
(DSCA)," September 21, 2012  
(d) MCO 3440.7C  
(e) MCIEAST-MCB CAMLEJO 3040.1D  
(f) MARADMIN 563/11 of 28 Sep 11  
(g) MCO 3504.2A  
(h) MCO 3040.4  
(i) CG MCIEAST-MCB CAMLEJ Policy ltr 07-17 of 23 Aug 17  
(j) MCIEAST-MCB CAMLEJO 3140.1C

Encl: (1) Installation Situation Report Format

1. Situation

a. This Order provides guidance, information, and procedures for use in the event of a destructive weather event resulting in the activation of a component installation's Emergency Operations Center (EOC). For clarification purposes, the term destructive weather is an umbrella term that encompasses specific weather events such as severe thunderstorms, destructive wind events, flooding, tropical cyclones, tornadoes, and winter storms.

b. Guidance, information, and procedures regarding Continuity of Operations will be published under a separate order.

2. Cancellation. MCIEAST-MCB CAMLEJO 3440.1C.

3. Mission

a. Marine Corps Installations East-Marine Corps Base, Camp Lejeune (MCIEAST-MCB CAMLEJ) publishes parameters to organize and facilitate preparation, mitigation, response, recovery, coordinated regional response, and reporting in connection with destructive weather events across all MCIEAST interests in order to save lives,

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

JUL 17 2019

prevent suffering, and mitigate property loss and disruptions to mission accomplishment.

b. Summary of Revision. This Order features updates connected to the Regional METOC order which is added as a reference to ensure awareness that personnel should not wait for lightning strike notifications to seek shelter. Thunderstorm Warning (T1) is when personnel should take immediate safety precautions and shelter. Coordinating instructions revised to remind tenants to comply with the respective installation destructive weather order and ensure the safety of personnel outdoors during any severe weather or lightning event.

#### 4. Execution

##### a. Commander's Intent and Concept of Operations

###### (1) Commander's Intent

(a) MCIEAST-MCB CAMLEJ staff and MCIEAST subordinate installations will be prepared to address both local and regional destructive weather events. To do this installations must be prepared to respond to and manage emergencies in close coordination with local, state, and municipal partners while ensuring a timely flow of substantive information concerning the conditions, mission readiness, and priority needs to this headquarters.

(b) MCIEAST supports installation level emergency management (EM) efforts by ensuring that clear, concise, and accurate assessments of conditions are developed, maintained, and communicated to all concerned headquarters and activities. These assessments will be used by MCIEAST-MCB CAMLEJ to mitigate the impact of the storm and its resultant damage on our operational tenant organizations and provide the individual installations with resources and coordination needed to ensure rapid recovery.

###### (2) Concept of Operations

(a) The MCIEAST-MCB CAMLEJ G-3/5 shall provide the Commanding General (CG) with situational awareness of emergency conditions at each installation including casualties, damage to facilities, interruption of essential services, and degradation of the installation's ability to host tenant commands. This awareness is created and maintained through interaction between the affected installation's S-3/EOC and the MCIEAST-MCB CAMLEJ G-3/5 and MCIEAST-MCB CAMLEJ EOC using, as a primary means, the Marine Common Operating Picture (MCOP) Application and via email to the MCIEAST EOC organizational mail box (OMB): MCIERegionaleOC@usmc.mil. When an MCIEAST component installation is faced with a weather emergency that requires the activation of the EOC, it will notify the MCIEAST-MCB CAMLEJ G-3/5. If deemed appropriate the MCIEAST-MCB CAMLEJ G-3/5 will

JUL 17 2019

activate the MCIEAST-MCB CAMLEJ EOC in support of the affected installation. To ensure installations have the autonomy necessary to quickly and appropriately handle local storms, guidance in paragraph 4a(2)(b) is provided below. To ensure a coordinated and uniform approach to the management of a regional threat is achieved, such as a hurricane, the guidance in paragraphs 4a(2)(c) and 4a(2)(e) is provided.

(b) Non-tropical storms, such as destructive wind events (tornadoes/funnel clouds), thunderstorms, and winter storms generally affect a localized area and are of short duration with life spans measured in hours or occasionally minutes as opposed to days. Usually, local non-tropical storm systems do not exceed the management capabilities of daily operations, the normal installation level chain of command, emergency services, maintenance organizations, and procedures. Therefore, criteria and procedures associated with non-tropical conditions of readiness may be established locally by the Installation Commander, but must abide by the references and other higher directives. To ensure personnel and material assets are protected from destructive weather events, in no case may an installation implement a procedure that is less restrictive or contrary to higher directives.

(c) Due to the severe nature and duration of Tropical Cyclones (TC) (depressions/storms/hurricanes) and in accordance with reference (a), the below listed Tropical Cyclone Conditions (TCCs) are established for use by all MCIEAST Installations for the purpose of describing the proximity of a dangerous TC system. For the purpose of this Order, an installation is considered to be in the forecasted affected area if it is within the cone of uncertainty of a storm featuring sustained winds of 50 knots (58 miles per hour (mph)) or greater as reported by the HVX-HURREVAC storm tracking system.

(d) The 50 knot (58 mph) threshold is included in National Hurricane Center (NHC) advisory products and in HVX-HURREVAC for two main reasons. First, it has significance for mariners as storm conditions begin at 48 knots (55 mph) with gale conditions covering 34 knots - 47 knots (39-54 mph). The NHC rounds this value up to 50 knots (58 mph) in its wind radii estimates as seen in HVX-HURREVAC. Second, damaging winds typically begin around 50 knots, which is the criteria for National Weather Service severe thunderstorm warnings. Therefore, 50 knots (58 mph) is a reasonable threshold at which wind damage to trees and power lines begin.

(e) Installation Commanders retain full authority/responsibility to execute appropriate action sets/tasks during the below TCCs:

1. TCC V. The potential for the occurrence of destructive weather is elevated, but no specific system threatens the area. TCC V indicates a seasonal destructive weather readiness level,

JUL 17 2019

(i.e., Atlantic Hurricane Season from 1 June to 30 November) is in progress or that a specific storm occurring outside of the Atlantic Hurricane Season is forecast to affect the area within 96 hours.

2. TCC IV. A specific destructive weather system with sustained winds of 50 knots (58 mph) or greater is forecast to affect the area within 72 hours.

3. TCC III. A specific destructive weather system with sustained winds of 50 knots (58 mph) or greater is forecast to affect the area within 48 hours. As required, installations initiate a partial activation of their EOC.

4. TCC II. A specific destructive weather system with sustained winds of 50 knots (58 mph) or greater is forecast to affect the area within 24 hours. Installations initiate a full activation of their EOC.

5. TCC I. A specific destructive weather system with sustained winds of 50 knots (58 mph) or greater is forecast to affect the area within 12 hours.

6. TCC I Caution (TCC IC). A specific destructive weather system with sustained winds of 50 knots (58 mph) or greater is forecast to affect the area within six hours.

7. TCC I Emergency (TCC IE). The area is currently experiencing a specific destructive weather system with sustained winds of 50 knots (58 mph) or greater.

8. TCC I Recovery (TCC IR). The destructive weather system has passed the area, but safety and storm hazards remain. All orders, restrictions, and guidance established in previous TCCs remain in effect. The EM structure is supporting the speedy return to normal operations by eliminating safety concerns, re-establishing services, utilities, and the transportation system, clearing debris, and performing essential repairs.

9. All Clear. The restrictions established in previous TCCs have been canceled; return to TCC V during the Atlantic Hurricane Season.

(f) Installation Support to Civilian Authorities

1. Reference (b) governs Defense Support of Civil Authorities (DSCA) for the Armed Forces of the United States. Reference (c) establishes policy and assigns responsibilities for DSCA. Reference (d) establishes Marine Corps policy and assigns responsibilities for the fulfillment of the Marine Corps' roles and responsibilities in DSCA.

2. References (b) through (d) provide policy, planning guidance, and assignment of responsibilities in response to requests for assistance from civil authorities during presidentially declared or undeclared disasters and domestic emergencies. The normal method of obtaining Department of Defense (DoD) assistance is for the local civil authority to forward a Request for Assistance (RFA) through state emergency management officials. If the state has exhausted all applicable response capabilities, the State Coordinating Officer will submit the RFA to the Federal Coordinating Officer (FCO). The FCO will coordinate and task the overall federal response, to include DoD resources, through the Defense Coordinating Officer.

3. Prior to a presidential declaration of disaster, civil authorities located near a Marine Corps Base, Station, or unit may request immediate assistance in response to imminently serious conditions caused by a domestic emergency. Installation Commanders are authorized to render assistance to save lives, prevent human suffering, or mitigate great property damage when conditions and time do not permit approval from higher headquarters. Installation Commanders acting under the Immediate Response Authority should report actions taken by the most expeditious means available and seek approval for continuing assistance.

b. Tasks

(1) MCIEAST-MCB CAMLEJ Assistant Chief of Staff (AC/S), G-3/5 shall:

(a) Provide policy, guidance, and direction to installations on destructive weather mitigation, preparation, response, and recovery matters.

(b) Plan, conduct, and evaluate an Annual Regional Communications Exercise between February and April.

(c) Monitor destructive weather events (i.e., thunderstorms, wind conditions, flooding, tropical cyclones, tornadoes, and winter storms) that may or have resulted in the activation of a component installation's EOC.

(d) Implement, as required, the partial or full activation of the MCIEAST-MCB CAMLEJ EOC.

1. When TCC III is set at any MCIEAST component installation, staff the MCIEAST-MCB CAMLEJ EOC, as appropriate, during working hours. After working hours the EOC Watch Officer will provide the MCIEAST-MCB CAMLEJ Command Duty Officer after hours contact information and will remain an "on call" status until he/she returns to work.

JUL 17 2019

2. When TCC II is set at any component installation, staff the MCIEAST-MCB CAMLEJ EOC, as appropriate, for 24-hour operations until all installations have secured from TCC IR.

3. Ensure all MCIEAST installations are in compliance with references (b), (e), and this Order.

(2) Installation Commanders shall:

(a) Publish an Installation Destructive Weather Order or Standing Operating Procedure (SOP) that is in accordance with the references and incorporates the TCCs established in this Order.

(b) Annually review the Installation Destructive Weather Order or SOP prior to 1 June; update the information as appropriate, and provide the updated document to the MCIEAST-MCB CAMLEJ AC/S, G-3/5.

(c) Ensure installation personnel who are assigned emergency management duties that interface with non-DoD Federal agencies, state government officials, and civilian emergency response/management activities are familiar with both the National Incident Management System (NIMS) and the Incident Command System.

(d) Ensure all appropriate personnel, military and civilian, with a reasonable likelihood of involvement in domestic incident management or response successfully complete required NIMS and National Response Framework training requirements/courses in accordance with reference (f). Appropriate personnel include, but are not limited to, installation and regional commands, public safety, EM, base operations, civilian fire and emergency services, installation Provost Marshals, other security and law enforcement services, and emergency medical services.

(e) Ensure the Installation's EOC is manned with trained personnel, equipped, and properly utilizes the Command and Control application.

(f) Conduct an annual destructive weather exercise; submit an exercise After Action Report (AAR) to the MCIEAST-MCB CAMLEJ AC/S, G-3/5 within 30 days of exercise completion.

(g) Participate in the Annual Regional Communications Exercise.

(h) Notify the MCIEAST-MCB CAMLEJ AC/S, G-3/5 of any destructive weather events that may require the activation of the Installation's EOC.

(i) Activate the Installation's EOC as conditions warrant.

JUL 17 2019

(j) Notify the MCIEAST-MCB CAMLEJ AC/S, G-3/5 when the Installation activates its EOC or changes Destructive Weather Conditions (via the MCIEAST-MCB CAMLEJ CDO during non-working hours).

(k) Pre-coordinate expected or intended changes in TCC with the MCIEAST-MCB CAMLEJ AC/S, G-3/5 beforehand. This pre-coordination is not intended for MCIEAST to approve or disapprove the Installation Commander's decision, but rather to allow MCIEAST to provide Marine Corps Installations Command, II Marine Expeditionary Force, and U.S. Marine Forces Command a better understanding of the region's preparations, and to provide MCIEAST's interpretation of the forecast and the storm's expected impact at the various component installations.

(l) Installations under TCC IV-IR (TCC III - TCC IR for Marine Corps Support Facility (MCSF) Blount Island) or when faced with any other type of destructive weather emergency for which the EOC is activated will submit a brief daily intentions message to the MCIEAST-MCB CAMLEJ MCOP Site (General Information Portlet) and via email to the MCIEAST EOC OMB ([MCIERegionalEOC@usmc.mil](mailto:MCIERegionalEOC@usmc.mil)) not later than (NLT) 0830. This message will include an estimate of the situation and circumstances, a simple assessment of likely impacts to facilities and operations, and a summary of actions that the Installation is likely to initiate during the coming 24-hour period. Message is open format and may include information such as local forecast/impact assessments, actions taken by local civilian authorities, projected changes to TCC, and local battle rhythm. Information provided in the message will facilitate CG and MCIEAST-MCB CAMLEJ staff situational awareness and will not be considered binding or restraining.

(m) During tropical cyclone conditions installations will submit an Installation Situation Report (enclosure (1)) to the MCIEAST-MCB CAMLEJ MCOP Site (General Information Portlet), and via email to the MCIEAST EOC OMB ([MCIERegionalEOC@usmc.mil](mailto:MCIERegionalEOC@usmc.mil)) within one hour of setting TCC III, TCC II, TCC I, TCC IC, TCC IE, and TCC IR and within six hours of returning to TCC V (TCC IV for MCSF Blount Island) after a storm system has passed.

(n) During other destructive weather emergencies for which the Installation EOC is activated installations will submit an Installation Situation Report (enclosure (1)) to the MCIEAST-MCB CAMLEJ MCOP Site (General Information Portlet) and NLT 1400 each day until directed to cease reporting by the MCIEAST-MCB CAMLEJ AC/S G-3/5.

(o) Report serious operational events and incidents (OPREP-3 SIR) in accordance with references (e) and (g).

(p) Report personnel casualties in accordance with references (e) and (h).

JUL 17 2019

(q) Immediately report the occurrence of Commander's Critical Information Requirements per reference (i) via email to the MCIEAST EOC OMB (MCIERegionalEOC@usmc.mil) and telephone.

(r) Notify the MCIEAST-MCB CAMLEJ AC/S, G-3/5 immediately when Marine Corps resources are requested or employed in support of civil authorities.

(s) Submit an AAR for each activation of the Installation's EOC for a TC within 30 days of deactivation of the Installation's EOC for that event.

(t) Submit a report of unfunded TC response requirements to the MCIEAST-MCB CAMLEJ AC/S, G-3/5 within 30 days of the deactivation of the installation's EOC for that event.

c. Coordinating Instructions. The MCOP will be the primary means of communication between the MCIEAST-MCB CAMLEJ EOC and affected installation EOCs during TC Operations. Use of the telephone service and Wide/Local Area Network during destructive weather operations should be restricted to matters pertaining to destructive weather or essential operations only. Communications priorities are established in order of importance:

- (1) MCOP
- (2) OMB (via NIPR)
- (3) Telephone System
- (4) Wide/Base/Local Area Network
- (5) Marine Telecommunications Center
- (6) Secure Telephone and Secret Internet Protocol Router Network when appropriate.

d. Compliance. Tenant commands are responsible for complying with the respective installation destructive weather order and ensuring the safety of personnel outdoors during any severe weather or lightning event. During periods of destructive weather, to include thunderstorms and lightning, all tenants should err on the side of caution and seek shelter when deciding to continue or restrict outdoor activities.

5. Administration and Logistics. Recommendations for changes to this Order should be submitted to the CG MCIEAST-MCB CAMLEJ (Attn: G-3/5, Operations and Plans Division).



JUL 17 2019

6. Command and Signal

a. Command. This Order is applicable to all MCIEAST-MCB CAMLEJ General and Special Staff Departments and MCIEAST subordinate installations and commands.

b. Signal. This Order is effective the date signed.



N. E. DAVIS  
Chief of Staff

DISTRIBUTION: A/B/C

Copy to: COMMCICOM  
COMMARFORCOM  
MCIEAST-MCB CAMLEJ AC/S, G-3/5  
MCIEAST-MCB CAMLEJ CDO  
MCRD/ERR PISC

JUL 17 2019

## Reports Required

<u>REPORT</u>		
<u>REPORT TITLE</u>	<u>CONTROL SYMBOL</u>	<u>PARAGRAPH</u>
I. Defense Support of Civil Authorities	EXEMPT; Marine Corps Assistance to Civil Authority.	4a(2)(f) <u>3</u> .
II. Destructive Weather After Action Report	MCIEAST-MCB CAMLEJ-3440.6-02	4b(2)(f)
III. Installation Situation Report	MCIEAST-MCB CAMLEJ-3000.10-04	4b(2)(m)
IV. Serious Incident Report	EXEMPT; Event/Incident (OPREP-3)	4b(2)(o)
V. Casualty Report	DD-3040-2; Personnel Casualty Report (PCR)	4b(2)(p)
VI. Commander's Critical Information Requirements	MCIEAST-MCB CAMLEJ-3440.1-06	4b(2)(q)
VII. Unfunded Tropical Cyclone Response	MCIEAST-MCB CAMLEJ-3000.10-02	4b(2)(t)

JUL 17 2019

Installation Situation Report Format

MSGID/GENADMIN/CG MCIEAST-MCB CAMLEJ G THREE G FIVE/00X//  
 SUBJ/MARINE CORPS INSTALLATIONS EAST SITUATION REPORT #00X FOR  
 HURRICANE XXXXX//  
 REF/A/DOC/MCIEAST-MCB CAMLEJO 3440.1C//  
 NARR/REF A IS DESTRUCTIVE WEATHER OPERATIONS//  
 POC/NAME/RANK OR GRADE/BILLET/INSTALLATION/DSN: XXX/TEL: COML(XXX)  
 XXX-XXXX/EMAIL: XXXX.XXXXX@USMC.MIL//  
 POC/NAME/RANK OR GRADE/BILLET/INSTALLATION/DSN: XXX/TEL: COML(XXX)  
 XXX-XXXX/EMAIL: XXXX.XXXXX@USMC.MIL//

GENTEXT/REMARKS/1. THIS SITREP IS CURRENT AS OF TIME/DATE. THE MARINE  
 CORPS INSTALLATIONS EAST-MARINE CORPS BASE CAMP LEJEUNE EMERGENCY  
 OPERATIONS CENTER (EOC) IS FULLY OPERATIONAL. STATUS OF AFFECTED  
 MCIEAST-MCB CAMLEJ INSTALLATIONS:

- 1. MARINE CORPS LOGISTICS BASE ALBANY
  - 1.A. TYPE OF EMERGENCY:
    - 1.A.1 READINESS CONDITION: (TCC, THUNDERSTORM CONDITION, ETC.).
    - 1.A.2 SUMMARY OF ACTIONS:
  - 1.B. INFRASTRUCTURE DAMAGE ASSESSMENT:
    - 1.B.1. BUILDINGS:
    - 1.B.2. ROADWAYS:
    - 1.B.3. ELECTRICAL DISTRIBUTION:
    - 1.B.4. COMMUNICATIONS:
    - 1.B.5. WATER SUPPLY:
    - 1.B.6. WATER TREATMENT:
    - 1.B.7. OTHER POWER: (SPECIFY)
  - 1.C. IMPACT TO OPERATIONS:
    - 1.C.1. ON INSTALLATION OPERATIONS:
    - 1.C.2. ON TENANT OPERATIONS:
  - 1.D. SHELTER STATUS: (READ IN FOUR COLUMNS)
 

SHELTER	STATUS	CAPACITY	OCCUPANTS
1.D.1. SHELTER NAME	OPEN	XXX	XXX
1.D.2. SHELTER NAME	CLOSED	XXX	XXX
  - 1.E. CASUALTIES:
    - 1.E.1. DEATHS:
    - 1.E.2. INJURIES:
    - 1.E.3. TYPE/CAUSE/PROGNOSIS:

- 2. MARINE CORPS AIR STATION (MCAS) BEAUFORT
  - 2.A. TYPE OF EMERGENCY:
    - 2.A.1 READINESS CONDITION: (TCC, THUNDERSTORM CONDITION, ETC.)
    - 2.A.2 SUMMARY OF ACTIONS:
  - 2.B. INFRASTRUCTURE DAMAGE ASSESSMENT:
    - 2.B.1. BUILDINGS:

JUL 17 2019

- 2.B.2. ROADWAYS:
- 2.B.3. ELECTRICAL DISTRIBUTION:
- 2.B.4. COMMUNICATIONS:
- 2.B.5. WATER SUPPLY:
- 2.B.6. WATER TREATMENT:
- 2.B.7. OTHER POWER: (SPECIFY)
- 2.C. IMPACT TO OPERATIONS:
- 2.C.1. STATUS OF AIRFIELD:
- 2.C.2. IMPACT ON STATION OPERATIONS AND MCIEAST AIRCRAFT:
- 2.C.3. IMPACT ON TENANT OPERATIONS AND AIRCRAFT:
- 2.D. SHELTER STATUS: (READ IN FOUR COLUMNS)
 

	SHELTER	STATUS	CAPACITY	OCCUPANTS
2.D.1.	SHELTER NAME	OPEN	XXX	XXX
2.D.2.	SHELTER NAME	CLOSED	XXX	XXX
- 2.E. CASUALTIES:
- 2.E.1. DEATHS:
- 2.E.2. INJURIES:
- 2.E.3. TYPE/CAUSE/PROGNOSIS:
- 3. MARINE CORPS SUPPORT FACILITY BLOUNT ISLAND COMMAND (BIC)
- 3.A. TYPE OF EMERGENCY:
- 3.A.1 READINESS CONDITION: (TCC, THUNDERSTORM CONDITION, ETC.)
- 3.A.2 SUMMARY OF ACTIONS:
- 3.B. INFRASTRUCTURE DAMAGE ASSESSMENT:
- 3.B.1. BUILDINGS:
- 3.B.2. ROADWAYS:
- 3.B.3. ELECTRICAL DISTRIBUTION:
- 3.B.4. COMMUNICATIONS:
- 3.B.5. WATER SUPPLY:
- 3.B.6. WATER TREATMENT:
- 3.B.7. OTHER POWER: (SPECIFY)
- 3.C. IMPACT TO OPERATIONS:
- 3.C.1. ON INSTALLATION OPERATIONS:
- 3.C.2. ON TENANT OPERATIONS:
- 3.D. SHELTER STATUS: (READ IN FOUR COLUMNS)
 

	SHELTER	STATUS	CAPACITY	OCCUPANTS
3.D.1.	SHELTER NAME	OPEN	XXX	XXX
3.D.2.	SHELTER NAME	CLOSED	XXX	XXX
- 3.E. CASUALTIES:
- 3.E.1. DEATHS:
- 3.E.2. INJURIES:
- 3.E.3. TYPE/CAUSE/PROGNOSIS:
- 4. MARINE CORPS BASE (MCB) CAMP LEJEUNE
- 4.A. TYPE OF EMERGENCY:
- 4.A.1 READINESS CONDITION: (TCC, THUNDERSTORM CONDITION, ETC.)

JUL 17 2019

- 4.A.2 SUMMARY OF ACTIONS:
- 4.B. INFRASTRUCTURE DAMAGE ASSESSMENT:
  - 4.B.1. BUILDINGS:
  - 4.B.2. ROADWAYS:
  - 4.B.3. ELECTRICAL DISTRIBUTION:
  - 4.B.4. COMMUNICATIONS:
  - 4.B.5. WATER SUPPLY:
  - 4.B.6. WATER TREATMENT:
  - 4.B.7. OTHER POWER: (SPECIFY)
- 4.C. IMPACT TO OPERATIONS:
  - 4.C.1. ON INSTALLATION OPERATIONS:
  - 4.C.2. ON TENANT OPERATIONS:
- 4.D. SHELTER STATUS: (READ IN FOUR COLUMNS)
 

	SHELTER	STATUS	CAPACITY	OCCUPANTS
4.D.1.	SHELTER NAME	OPEN	XXX	XXX
4.D.2.	SHELTER NAME	CLOSED	XXX	XXX
- 4.E. CASUALTIES:
  - 4.E.1. DEATHS:
  - 4.E.2. INJURIES:
  - 4.E.3. TYPE/CAUSE/PROGNOSIS:
- 5. MCAS CHERRY POINT
  - 5.A. TYPE OF EMERGENCY:
    - 5.A.1 READINESS CONDITION: (TCC, THUNDERSTORM CONDITION, ETC.)
    - 5.A.2 SUMMARY OF ACTIONS:
  - 5.B. INFRASTRUCTURE DAMAGE ASSESSMENT:
    - 5.B.1. BUILDINGS:
    - 5.B.2. ROADWAYS:
    - 5.B.3. ELECTRICAL DISTRIBUTION:
    - 5.B.4. COMMUNICATIONS:
    - 5.B.5. WATER SUPPLY:
    - 5.B.6. WATER TREATMENT:
    - 5.B.7. OTHER POWER: (SPECIFY)
  - 5.C. IMPACT TO OPERATIONS:
    - 5.C.1. STATUS OF AIRFIELD:
    - 5.C.2. IMPACT ON STATION OPERATIONS AND MCIEAST AIRCRAFT:
    - 5.C.3. IMPACT ON TENANT OPERATIONS AND AIRCRAFT:
  - 5.D. SHELTER STATUS: (READ IN FOUR COLUMNS)
 

	SHELTER	STATUS	CAPACITY	OCCUPANTS
5.D.1.	SHELTER NAME	OPEN	XXX	XXX
5.D.2.	SHELTER NAME	CLOSED	XXX	XXX
  - 5.E. CASUALTIES:
    - 5.E.1. DEATHS:
    - 5.E.2. INJURIES:
    - 5.E.3. TYPE/CAUSE/PROGNOSIS:

JUL 17 2019

6. MCAS NEW RIVER

6.A. TYPE OF EMERGENCY:

6.A.1 READINESS CONDITION: (TCC, THUNDERSTORM CONDITION, ETC.)

6.A.2 SUMMARY OF ACTIONS:

6.B. INFRASTRUCTURE DAMAGE ASSESSMENT:

6.B.1. BUILDINGS:

6.B.2. ROADWAYS:

6.B.3. ELECTRICAL DISTRIBUTION:

6.B.4. COMMUNICATIONS:

6.B.5. WATER SUPPLY:

6.B.6. WATER TREATMENT:

6.B.7. OTHER POWER: (SPECIFY)

6.C. IMPACT TO OPERATIONS:

6.C.1. STATUS OF AIRFIELD:

6.C.2. IMPACT ON STATION OPERATIONS AND MCIEAST AIRCRAFT:

6.C.3. IMPACT ON TENANT OPERATIONS AND AIRCRAFT:

6.D. SHELTER STATUS: (READ IN FOUR COLUMNS)

	SHELTER	STATUS	CAPACITY	OCCUPANTS
6.D.1.	SHELTER NAME	OPEN	XXX	XXX
6.D.2.	SHELTER NAME	CLOSED	XXX	XXX

6.E. CASUALTIES:

6.E.1. DEATHS:

6.E.2. INJURIES:

6.E.3. TYPE/CAUSE/PROGNOSIS:

7. MCRD PARRIS ISLAND

7.A. TYPE OF EMERGENCY:

7.A.1 READINESS CONDITION: (TCC, THUNDERSTORM CONDITION, ETC.)

7.A.2 SUMMARY OF ACTIONS:

7.B. INFRASTRUCTURE DAMAGE ASSESSMENT:

7.B.1. BUILDINGS:

7.B.2. ROADWAYS:

7.B.3. ELECTRICAL DISTRIBUTION:

7.B.4. COMMUNICATIONS:

7.B.5. WATER SUPPLY:

7.B.6. WATER TREATMENT:

7.B.7. OTHER POWER: (SPECIFY)

7.C. IMPACT TO OPERATIONS:

7.C.1. STATUS OF AIRFIELD:

7.C.2. IMPACT ON STATION OPERATIONS AND MCIEAST AIRCRAFT:

7.C.3. IMPACT ON TENANT OPERATIONS AND AIRCRAFT:

7.D. SHELTER STATUS: (READ IN FOUR COLUMNS)

	SHELTER	STATUS	CAPACITY	OCCUPANTS
7.D.1.	SHELTER NAME	OPEN	XXX	XXX
7.D.2.	SHELTER NAME	CLOSED	XXX	XXX

**JUL 17 2019**

7.E. CASUALTIES:

7.E.1. DEATHS:

7.E.2. INJURIES:

7.E.3. TYPE/CAUSE/PROGNOSIS:

8. REMARKS/DISCUSSIONS: AS APPROPRIATE TO PASS COMMANDING OFFICER'S COMMENTS OR IDENTIFY ADDITIONAL ISSUES OR CONCERNS.//